

## 501 RELATED ACCESS POINT – PERSONAL NAME WITH RESPONSIBILITY FOR THE WORK

### Field Definition and Scope

Authorized form of the personal name related to the work entity in the 2-- field.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

This field is intended for catalogues that comply with the FRBR/IFLA LRM model.

Mandatory if the work involves at least one person responsible for creation.

Describing the relationship between the agent and the work, use the value “a” in the control subfield \$5 pos. 4. For recording the relationship between other related agents and the work, use value “c” in the control subfield \$5 pos. 4.

Repeatable for each subsequent personal name.

### Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
501	RELATED ACCESS POINT – PERSONAL NAME WITH RESPONSIBILITY FOR THE WORK	R	MA
a	Entry Element	NR	MA
b	Part of Name Other than Entry Element	NR	O
c	Additions to Names Other than Dates	R	O
d	Roman Numerals	NR	O
f	Dates	NR	O
g	Expansion of Initials of Forename	NR	O
0	Instruction Phrase	NR	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
4	Relator Code	R	O
5	Relationship Control	NR	O
6	Interfield Linking Data	NR	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O
R	Real World Object	O	R

### Indicators

Indicator	Value	Description
1	#	blank (not defined)
2		Specifies the Way the Name is Entered
	0	Name entered under forename or direct order
	1	Name entered under surname

## Subfields Description

### **\$a Entry Element**

Portion of the name used as the entry element in the access point; that part of the name by which the name is entered in ordered lists.

This subfield must be present when the field is present. Not repeatable.

### **\$b Part of Name Other than Entry Element**

Remainder of the name, used when the entry element is a surname or family name.

It contains forenames and other given names.

The form of name indicator should be set to 1 when this subfield is used. Printing expansions of initials should be entered in \$g. Not repeatable.

### **\$c Additions to Names Other than Dates**

Any additions to names (other than dates) which do not form an integral part of the name itself including titles, epithets or indications of office.

Repeatable for second or subsequent occurrences of such additions.

### **\$d Roman Numerals**

Roman numerals associated with names of certain popes, royalty and ecclesiastics.

If an epithet (or a further forename) is associated with the numeration, this too should be included. The form of name indicator should be set to 0 when this subfield is used. Not repeatable.

### **\$f Dates**

Dates attached to personal names together with abbreviations or other indications of the nature of the dates.

Any indications of the type of date (e.g., flourished, born, died) should be entered in the subfield in full or abbreviated form. All the dates for the person named in the field should be entered in \$f. Not repeatable.

### **\$g Expansion of Initials of Forename**

Full form of forenames when initials are recorded in subfield \$b as the preferred form and when both initials and the full form are required.

Not repeatable.

### **\$0 Instruction Phrase**

See specification of [Control Subfield 0](#). Not repeatable.

### **\$2 Source**

See specification of [Control Subfield 2](#). Not repeatable.

### **\$3 Authority Record Identifier or Standard Number**

See specification of [Control Subfield 3](#). Not repeatable.

### **\$4 Relator Code**

See specification of [Control Subfield 4](#). Repeatable.

**\$5 Relationship Control**

See specification of [Control Subfield 5](#). Not repeatable.

**\$6 Interfield Linking Data**

See specification of [Control Subfield 6](#). Not repeatable.

**\$7 Script of Cataloguing and Script of the Base Access Point**

See specification of [Control Subfield 7](#). Not repeatable.

**\$8 Language of Cataloguing and Language of the Base Access Point**

See specification of [Control Subfield 8](#). Not repeatable.

**\$R Real World Object URI**

See specification of [Control Subfield 3](#). Repeatable.

**Related Fields**

154 CODED DATA FIELD: TITLE
241 AUTHORIZED ACCESS POINT – NAME/TITLE (WORK)
500 RELATED ACCESS POINT – PERSONAL NAME
510 RELATED ACCESS POINT – CORPORATE BODY NAME
511 RELATED ACCESS POINT – CORPORATE BODY WITH RESPONSIBILITY FOR THE WORK
520 RELATED ACCESS POINT – FAMILY NAME
521 RELATED ACCESS POINT – FAMILY NAME WITH RESPONSIBILITY FOR THE WORK

**Examples**

EX 1A, with the “name” part of field 241 present
241 #1\$aDebussy, Claude (1862-1918)\$4230\$tPelléas et Mélisande
501 #1\$3FRBNF138930724\$5xxxxa\$aDebussy\$bClaude\$f1862-1918\$4230
501 #1\$3FRBNF119138653\$5xxxxa\$aMaeterlink\$bMaurice\$f1862-1949\$4480
501 #1\$3FRBNF136131015\$5xxxxc\$aHartmann\$bGeorges\$f1843-1900\$4280
Debussy’s opera <i>Pelléas et Mélisande</i> , with a libretto by Maurice Maeterlinck. Field 241 illustrates the standard subfields technique. Georges Hartmann is recorded in a related access point as the dedicatee of the opera, with value “c” in \$5 pos. 4 as he is not one of the creators of the opera but an agent associated with the work.
EX 1B, without the “name” part of field 241
241 #1\$tPelléas et Mélisande
501 #1\$3FRBNF138930724\$5xxxxa\$aDebussy\$bClaude\$f1862-1918\$4230
501 #1\$3FRBNF119138653\$5xxxxa\$aMaeterlink\$bMaurice\$f1862-1949\$4480
501 #1\$3FRBNF136131015\$5xxxxc\$aHartmann\$bGeorges\$f1843-1900\$4280
Debussy’s opera <i>Pelléas et Mélisande</i> , with a libretto by Maurice Maeterlinck. Field 241 illustrates the standard subfields technique. Georges Hartmann is recorded in a related access point as the dedicatee of the opera, with value “c” in \$5 pos. 4 as he is not one of the creators of the opera but an agent associated with the work.
EX 2, with the “name” part of field 241 present
241 #1\$1200#1\$aFerrão,\$bRaúl,\$f1890-1953\$4230\$1231##\$aNoite de Santo António
501 #1\$3<AR_ID>\$5xxxxa\$aFerrão,\$bRaúl,\$f1890-1953\$4230

501 #1\$3<AR_ID>\$5xxxxa\$aAraújo,\$bNorberto de,\$f1889-1952\$4520
<i>Noite de Santo António</i> , a song composed by Raúl Ferrão with words by Norberto de Araújo. Field 241 illustrates the embedded fields technique.
EX 2B, without the “name” part of field 241
241 #1\$1231##\$aNoite de Santo António
501 #1\$3<AR_ID>\$5xxxxa\$aFerrão,\$bRaúl,\$f1890-1953\$4230
501 #1\$3<AR_ID>\$5xxxxa\$aAraújo,\$bNorberto de,\$f1889-1952\$4520
<i>Noite de Santo António</i> , a song composed by Raúl Ferrão with words by Norberto de Araújo. Field 241 illustrates the embedded fields technique.

## History

2012	New field.
2023	Changed scope, occurrence, and examples.
2024	Text edit. New subfield \$R.