

## 516 RELATED ACCESS POINT – TRADEMARK

### Field Definition and Scope

Authorized form of the trademark name related to the access point in the 2-- field.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

### Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
516	RELATED ACCESS POINT – TRADEMARK	R	O
a	Entry Element	NR	MA
f	Dates	NR	O
c	Qualification	R	O
j	Form Subdivision	R	O
x	Topical Subdivision	R	O
y	Geographical Subdivision	R	O
z	Chronological Subdivision	R	O
0	Instruction Phrase	NR	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
5	Relationship Control	NR	O
6	Interfield Linking Data	NR	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O
R	Real World Object	O	R

### Indicators

Indicator	Value	Description
1	#	blank (not defined)
2	#	blank (not defined)

### Subfields Description

#### \$a Entry Element

Name of the trademark in access point form.

This subfield must be present if the field is present. Not repeatable.

#### \$f Dates

Dates between which a particular trademark was in use, when they are required as part of the access point, for example, as qualifiers.

Not repeatable.

#### \$c Qualification

Any addition to the name of the trademark added by the cataloguer, other than dates.

Repeatable.

**\$j Form Subdivision**

Term added to a subject access point to further specify the kind(s) or genre(s) of material.

Agencies not using this subdivision should use \$x instead. Repeatable.

**\$x Topical Subdivision**

Term added to a subject access point to further specify the topic the access point represents.

Repeatable.

**\$y Geographical Subdivision**

Term added to a subject access point to specify a place in relation to a trademark which the subject access point represents.

Repeatable.

**\$z Chronological Subdivision**

Term added to a subject access point to specify the period in time in relation to a trademark which the subject access point represents.

Repeatable.

**\$0 Instruction Phrase**

See specification of [Control Subfield 0](#). Not repeatable.

**\$2 Source**

See specification of [Control Subfield 2](#). Not repeatable.

**\$3 Authority Record Identifier or Standard Number**

See specification of [Control Subfield 3](#). Not repeatable.

**\$5 Relationship Control**

See specification of [Control Subfield 5](#). Not repeatable.

**\$6 Interfield Linking Data**

See specification of [Control Subfield 6](#). Not repeatable.

**\$7 Script of Cataloguing and Script of the Base Access Point**

See specification of [Control Subfield 7](#). Not repeatable.

**\$8 Language of Cataloguing and Language of the Base Access Point**

See specification of [Control Subfield 8](#). Not repeatable.

**\$R Real World Object URI**

See specification of [Control Subfield 3](#). Repeatable.

**Related Fields**

216 AUTHORIZED ACCESS POINT – TRADEMARK
---

## Examples

EX 1
216 ##\$aColumbia\$cmarque américaine
516 ##\$3<AR_ID>\$5h\$aColumbia Masterworks
EX 2
210 02\$aDanone
516 ##\$3<AR_ID>\$aDanone\$cmarque
In this record the field 516 is used to make a related access point between a corporate body access point (210 \$aDanone) and a trademark access point (516 \$aDanone\$cmarque).

## History

2001	New field.
2024	Text edit. New subfield \$R.