

570 RELATED ACCESS POINT – TIME-SPAN

Field Definition and Scope

Authorized form of the term indicating a temporal extent having a beginning, an end, and a duration related to the access point in the 2-- field.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

This field is intended for catalogues that comply with the FRBR/IFLA LRM model.

Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
570	RELATED ACCESS POINT – TIME-SPAN	R	O
a	Entry Element	NR	MA
b	Part of Name Other than Entry Element	NR	O
d	Place Associated with the Time-Span	R	O
f	Dates	NR	O
k	Other Distinguishing Characteristics of Time-Span	R	O
j	Form Subdivision	R	O
x	Topical Subdivision	R	O
y	Geographical Subdivision	R	O
z	Chronological Subdivision	R	O
0	Instruction Phrase	NR	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
5	Relationship Control	NR	O
6	Interfield Linking Data	NR	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O
R	Real World Object URI	R	O

Indicators

Indicator	Value	Description
1	#	blank (not defined)
2	#	blank (not defined)

Subfields Description

\$a Entry Element

Portion of the name used as the entry element in the access point.

This subfield must be present if the field is present. Not repeatable.

\$b Part of Name Other than Entry Element

Remainder of the name.

Not repeatable.

\$d Places Associated with the Time-Span

Places where the time-span is relevant.

Repeatable.

\$f Dates

The start and end dates of the time-span, when they are required as part of the access point.

Not repeatable.

\$k Other Distinguishing Characteristics of Time-Span

Any addition to the name of the time-span added by the cataloguer, other than dates or places.

Repeatable.

\$j Form Subdivision

Term added to a subject access point to further specify the kind(s) or genre(s) of material.

Agencies not using this subdivision should use \$x instead. Repeatable.

\$x Topical Subdivision

Term added to a subject access point to further specify the time-span the access point represents.

Repeatable.

\$y Geographical Subdivision

Term added to a subject access point to specify a place in relation to the time-span the subject access point represents.

Repeatable.

\$z Chronological Subdivision

Term added to a subject access point to specify the period in time in relation to the time-span which the subject access point represents.

Repeatable.

\$0 Instruction Phrase

See specification of [Control Subfield 0](#). Not repeatable.

\$2 Source

See specification of [Control Subfield 2](#). Not repeatable.

\$3 Authority Record Identifier or Standard Number

See specification of [Control Subfield 3](#). Not repeatable.

\$5 Relationship Control

See specification of [Control Subfield 5](#). Not repeatable.

\$6 Interfield Linking Data

See specification of [Control Subfield 6](#). Not repeatable.

\$7 Script of Cataloguing and Script of the Base Access Point

See specification of [Control Subfield 7](#). Not repeatable.

\$8 Language of Cataloguing and Language of the Base Access Point

See specification of [Control Subfield 8](#). Not repeatable.

\$R Real World Object URI

See specification of [Control Subfield 3](#). Repeatable.

Related Fields

270 AUTHORIZED ACCESS POINT – TIME-SPAN
470 VARIANT ACCESS POINT – TIME-SPAN
770 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – TIME-SPAN

Examples

EX 1
270 ##\$aPremière Guerre mondiale\$f1914-1918
570 ##\$3<AR_ID for time-span>\$5g#####\$aBataille de la Somme\$dFrance\$f1916
The battle of the Somme is a part of the First World War.

History

2025	New field.
------	------------