

720 AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FAMILY NAME

Field Definition and Scope

Authorized form of the family name in another language and/or script in field 220.

It is formulated in accordance with the cataloguing rules or subject system in use by the agency which created it.

Subfields & Occurrence

Field/Subfield	Field/Subfield Name	Repeatability	Occurrence
720	AUTHORIZED ACCESS POINT IN OTHER LANGUAGE AND/OR SCRIPT – FAMILY NAME	R	O
a	Entry Element	NR	MA
c	Type of Family	NR	O
d	Places Associated with the Family	R	O
f	Dates	NR	O
j	Form Subdivision	R	O
x	Topical Subdivision	R	O
y	Geographical Subdivision	R	O
z	Chronological Subdivision	R	O
2	Source	NR	O
3	Authority Record Identifier or Standard Number	NR	O
4	Relator Code	R	O
7	Script of Cataloguing and Script of the Base Access Point	NR	O
8	Language of Cataloguing and Language of the Base Access Point	NR	O

Indicators

Indicator	Value	Description
1	#	blank (not defined)
2	#	blank (not defined)

Subfields Description

\$a Entry Element

Family name in access point form.

This subfield must be present if the field is present.

Not repeatable.

\$c Type of Family

Categorization or generic descriptor for the type of family that includes categorizations such as clan, dynasty, family unit, patriarchy, matriarchy, etc.

Not repeatable.

\$d Places Associated with the Family

Information pertaining to places where the family resides or resided or had some connection.

Repeatable.

\$f Dates

Dates of a family when they are required as part of the access point.

Not repeatable.

\$j Form Subdivision

Term added to a subject access point to further specify the kind(s) or genre(s) of material.

Agencies not using this subdivision should use \$x instead.

Repeatable.

\$x Topical Subdivision

Term added to a subject access point to further specify the topic the subject access point represents.

Repeatable.

\$y Geographical Subdivision

Term added to a subject access point to specify a place in relation to a family which the subject access point represents.

Repeatable.

\$z Chronological Subdivision

Term added to a subject access point to specify the period in time in relation to a family which the subject access point represents.

Repeatable.

\$2 Source

See specification of [Control Subfield 2](#). Not repeatable.

\$3 Authority Record Identifier or Standard Number

See specification of [Control Subfield 3](#). Not repeatable.

\$4 Relator Code

See specification of [Control Subfield 4](#). Repeatable.

\$7 Script of Cataloguing and Script of the Base Access Point

See specification of [Control Subfield 7](#). Not repeatable.

\$8 Language of Cataloguing and Language of the Base Access Point

See specification of [Control Subfield 8](#). Not repeatable.

Related Fields

220 AUTHORIZED ACCESS POINT – FAMILY NAME

Examples

EX 1
220 ##\$aDuecker family
720 ##\$3<AR_ID>\$aDuecker (famille)

History

2009	New indicators and subfields/values: \$d Places associated with the family.
2009	New indicators and subfields/values: \$c Type of family.
2024	Text edit.